

# MODIFIED / SUPERS / SPRINT ASPHALT

| ITEM NUMBER | TIRE SIZE          | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON SOFT TO FIRM |
|-------------|--------------------|---------------|-------------|--------------|---------------|------------------|--------------------|---------------|----------------------------------|
| 08400       | 26.0/13.0-15       | Slick         | 13.0"       | 25.5"        | 80.5"         | 14-15"           | 15"                | 16.4"         | M20, M30                         |
| 08410       | 26.0/13.0-15       | Slick         | 13.0"       | 26.0"        | 81.5"         | 14-15"           | 15"                | 16.4"         | M20, M30                         |
| 08420       | 27.0/13.0-15       | Slick         | 13.0"       | 26.8"        | 84.0"         | 15"              | 15"                | 16.4"         | M30, M45, M450                   |
| 09120       | 11.0/24.0-15       | Slick         | 11.0"       | 23.2"        | 73.0"         | 10"              | 10"                | 13.0"         | 2010                             |
| 09121       | 11.0/24.0-15       | Slick         | 12.0"       | 24.1"        | 75.75"        | 12"              | 12"                | 13.0"         | 2030                             |
| 09125       | 11.0/24.5-15       | Slick         | 11.0"       | 24.5"        | 77.5"         | 10"              | 10"                | 12.5"         | M60                              |
| 09142       | 13.0/25.0-15       | Slick         | 13.0"       | 25.0"        | 78.0"         | 13-14"           | 13"                | 15.0"         | 2045                             |
| 09150       | 26.0/13.0-15       | Slick         | 13.0"       | 26.0"        | 81.5"         | 14-15"           | 15"                | 16.4"         | 2040                             |
| 09160       | 13.0/26.5-15       | Slick         | 13.0"       | 26.4"        | 82.5"         | 15"              | 15"                | 16.4"         | 2040                             |
| 09170       | 13.0/27.0-15       | Slick         | 13.0"       | 27.0"        | 84.2"         | 15"              | 15"                | 16.4"         | 2045                             |
| 09200       | 17.0/28.0-15       | Slick         | 17.0"       | 27.7"        | 86.5"         | 18"              | 18"                | 20.0"         | 2045                             |
| 09206       | 17.0/28.0-15       | Slick         | 17.0"       | 27.7"        | 86.5"         | 18"              | 18"                | 20.0"         | M40                              |
| 09209       | 17.0/28.0-15 (SC1) | Slick         | 17.0"       | 27.7"        | 86.5"         | 18"              | 18"                | 20.0"         | M55                              |

| SOFT |  | COMPOUND |              |      |             |      |     |     | FIRM |  |
|------|--|----------|--------------|------|-------------|------|-----|-----|------|--|
| M10  |  | M20      | M30          | 2040 | M45         | M450 | M50 | M55 |      |  |
| 2010 |  | 1320     | 2030<br>1330 |      | 2045<br>M40 |      |     |     |      |  |



# LATE MODEL / E-MOD / STREET STOCK DIRT

| ITEM NUMBER | TIRE SIZE            | TREAD PATTERN    | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON SOFT TO FIRM |
|-------------|----------------------|------------------|-------------|--------------|---------------|------------------|--------------------|---------------|----------------------------------|
| 36019       | G60-15 SH            | G60              | 8.5"        | 25.5"        | 81.0"         | 8"               | 8"                 | 10.75"        | IMCA                             |
| 36020       | G60-15               | G60              | 8.5"        | 26.0"        | 82.0"         | 8"               | 8"                 | 10.75"        | IMCA                             |
| 36021       | G60-15               | G60              | 8.5"        | 25.5"        | 81.0"         | 8"               | 8"                 | 10.75"        | Non Stamped                      |
| 36022       | G60-15               | G60              | 8.5"        | 26.0"        | 82.0"         | 8"               | 8"                 | 10.75"        | Non Stamped                      |
| 36040       | 22.5/8.0-13          | Large Crossblock | 8.0"        | 22.5"        | 69.5"         | 8-9"             | 8"                 | 9.75"         | USLCl, 1600                      |
| 36042       | 23.0/8.0-13          | Large Crossblock | 8.0"        | 23.0"        | 72.0"         | 8-9"             | 8"                 | 9.75"         | 1600                             |
| 36103       | 8.0/26.5-15          | Super Chain Link | 8.0"        | 26.5"        | 82.0"         | 8-9"             | 8"                 | 10.5"         | H 500, IMCA 500                  |
| 36105       | 8.0/27.0-15          | Super Chain Link | 8.0"        | 27.0"        | 84.0"         | 8-9"             | 8"                 | 10.5"         | H 500, IMCA 500                  |
| 36107       | 8.0/27.5-15          | Super Chain Link | 8.0"        | 27.4"        | 86.0"         | 8-9"             | 8"                 | 10.5"         | H 500                            |
| 36149       | 26.5/ 8.0-15         | Super Chain Link | 8.0"        | 26.5"        | 84.0"         | 8-9"             | 8"                 | 11.2"         | Soft, Medium 100, Medium         |
| 36156       | 27.5/ 8.0-15 NRM     | Super Chain Link | 8.0"        | 27.5"        | 86.5"         | 8-9"             | 8"                 | 11.3"         | Soft, Medium 100, Medium, Hard   |
| 36175       | 26.5/ 8.0-15 Wissota | Super Chain Link | 8.0"        | 26.5"        | 83.0"         | 8-9"             | 8"                 | 11.2"         | 35-W                             |
| 36180       | 26.5/ 8.0-15 Emod    | Super Chain Link | 8.0"        | 26.5"        | 83.0"         | 8-9"             | 8"                 | 11.2"         | M30S                             |
| 36185       | 27.5/ 8.0-15 Wissota | Super Chain Link | 8.0"        | 27.25"       | 85.5"         | 8-9"             | 8"                 | 11.2"         | 35-W                             |
| 36190       | 27.5/ 8.0-15 Emod    | Super Chain Link | 8.0"        | 27.25"       | 85.5"         | 8-9"             | 8"                 | 11.2"         | M30S, M60                        |
| 36240       | 28.0/10.5-15         | Chain Link       | 10.5"       | 28.0"        | 86.0"         | 10-12"           | 10"                | 13.5"         | RC4                              |
| 36310       | 29.0/10.5-15         | Chain Link       | 10.5"       | 29.0"        | 90.0"         | 10-12"           | 10"                | 13.5"         | RC4                              |
| 36606       | 28.5/11.0-15         | Angle Block      | 11.0"       | 28.5"        | 90.0"         | 12-14"           | 14"                | 14.5"         | USA21, RUSH25, RUSH55            |
| 36616       | 88.0/11.0-15         | Large Crossblock | 11.0"       | 28.0"        | 87.5"         | 12-14"           | 14"                | 14.75"        | USA21, RUSH25, RUSH55            |
| 36618       | 90.0/11.0-15         | Stagger Block    | 11.0"       | 28.2"        | 88.5"         | 12-14"           | 14"                | 15.5"         | FT200, FT400                     |
| 36621       | 90.0/11.0-15         | Large Crossblock | 11.0"       | 28.5"        | 89.0"         | 12-14"           | 14"                | 15.0"         | W30S                             |
| 36626       | 90.0/11.0-15         | Large Crossblock | 11.0"       | 28.5"        | 89.0"         | 12-14"           | 14"                | 15.0"         | USA21, USA55, RUSH25, RUSH55     |
| 36628       | 92.0/11.0-15         | Stagger Block    | 11.0"       | 29.3"        | 92.0"         | 12-14"           | 14"                | 15.5"         | FT200, FT400                     |

# LATE MODEL / E-MOD / STREET STOCK DIRT CONT.

| ITEM NUMBER | TIRE SIZE    | TREAD PATTERN    | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON SOFT TO FIRM |
|-------------|--------------|------------------|-------------|--------------|---------------|------------------|--------------------|---------------|----------------------------------|
| 36631       | 92.0/11.0-15 | Large Crossblock | 11.0"       | 29.0"        | 92.0"         | 12-14"           | 14"                | 15.0"         | W30S                             |
| 36636       | 92.0/11.0-15 | Large Crossblock | 11.0"       | 29.0"        | 92.0"         | 12-14"           | 14"                | 15.0"         | USA21, USA55, RUSH25, RUSH55     |
| 36639       | 92.0/11.0-15 | Large Crossblock | 11.0"       | 29.0"        | 92.0"         | 12-14"           | 14"                | 15.0"         | D70                              |
| 36805       | 205/60-13    | Dirt Bozz Style  | 8.0"        | 22.6"        | 70.0"         | 7-8"             | 7"                 | 9.1"          | STARS Soft, STARS Med            |
| 36700       | 90.0/11.0-15 | Large Crossblock | 11.0"       | 28.5"        | 89.0"         | 12-14"           | 14"                | 15.0"         | NMLT1, NLMT2, NLMT3              |
| 36710       | 92.0/11.0-15 | Large Crossblock | 11.0"       | 29.0"        | 92.0"         | 12-14"           | 14"                | 15.0"         | NMLT2, NLMT3, NLMT4              |
| 36815       | 235/60-13    | Dirt Bozz Style  | 8.0"        | 23.8"        | 74.0"         | 7-8"             | 7"                 | 10.2"         | STARS Soft, STARS Med            |

◀◀◀ SOFT
COMPOUND
FIRM ▶▶▶

|  |                              |  |              |             |             |                      |
|--|------------------------------|--|--------------|-------------|-------------|----------------------|
|  | FT200<br>STARS Soft<br>USA21 |  | M30S         | FT400 USA55 |             | IMCA<br>M60<br>H 500 |
|  | Medium 100<br>USA25          |  | STARS Medium |             | 1600<br>RC4 | D70<br>35-WIMCA 500  |

**G60**



**LARGE CROSSBLOCK**



**SUPER CHAIN LINK**



**CHAIN LINK**



**ANGLE BLOCK**



**STAGGER BLOCK**



**WRS-2**



**DIRT BOZZ STYLE**




# EASTERN MODIFIED / 358 / SPORTSMAN DIRT

| ITEM NUMBER | TIRE SIZE         | TREAD PATTERN | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON SOFT TO FIRM |
|-------------|-------------------|---------------|-------------|--------------|---------------|------------------|--------------------|---------------|----------------------------------|
| 14131       | 11.0/82.0-15 SH   | Chain Link    | 10.5"       | 25.6"        | 80.5"         | 10-12"           | 10"                | 12.0"         | D300                             |
| 14133       | 11.0/82.0-15      | Chain Link    | 10.5"       | 26.0"        | 82.0"         | 10-12"           | 10"                | 12.0"         | D300                             |
| 14135       | 11.0/87.0-15      | Chain Link    | 11.0"       | 27.2"        | 85.5"         | 10-12"           | 12"                | 14.2"         | M45                              |
| 14145       | 11.0/90.0-15      | Chain Link    | 11.0"       | 29.0"        | 90.5"         | 10-13"           | 12"                | 14.5"         | M45, D60                         |
| 14151       | 13.0/82.0-15      | Chain Link    | 13.0"       | 26.3"        | 82.0"         | 12-14"           | 12"                | 14.0"         | D300, D400                       |
| 14177       | 13.0/87.0-15      | Chain Link    | 13.0"       | 27.5"        | 86.0"         | 12-14"           | 14"                | 16.2"         | D300, D400                       |
| 14189       | 13.0/89.0-15      | Chain Link    | 13.0"       | 28.0"        | 88.0"         | 12-14"           | 14"                | 16.2"         | D300, D400                       |
| 14229       | 13.0/92.0-15 Tall | Chain Link    | 13.0"       | 29.5"        | 92.5"         | 12-14"           | 14"                | 16.5"         | D300, D400, D500                 |

◀◀◀ SOFT
COMPOUND
FIRM ▶▶▶

|  |      |  |     |  |      |  |     |  |      |
|--|------|--|-----|--|------|--|-----|--|------|
|  | D300 |  | M45 |  | D400 |  | D60 |  | D500 |
|--|------|--|-----|--|------|--|-----|--|------|

**CHAIN LINK**



# WING SPRINT DIRT

| ITEM NUMBER | TIRE SIZE         | TREAD PATTERN          | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON<br>SOFT TO FIRM |
|-------------|-------------------|------------------------|-------------|--------------|---------------|------------------|--------------------|---------------|-------------------------------------|
| 38031       | 85.0/ 8.0-15      | Super Chain Link       | 8.0"        | 27.0"        | 84.5"         | 8"               | 8"                 | 10.5"         | D12                                 |
| 38032       | 85.0/ 8.0-15      | Super Chain Link       | 8.0"        | 27.0"        | 85.0"         | 8"               | 8"                 | 10.5"         | D15, D20                            |
| 38126       | 88.0/15.0-15      | Large Checkerboard     | 15.0"       | 28.0"        | 88.0"         | 14-15"           | 15"                | 18.6"         | RD12                                |
| 38139       | 90.0/15.0-15      | Large Checkerboard     | 15.0"       | 28.5"        | 90.0"         | 14-15"           | 15"                | 18.0"         | RD12                                |
| 38120       | 8.0/27.5-15       | Super Chain Link       | 8.0"        | 27.4"        | 86.0"         | 8"               | 8"                 | 10.5"         | *RaceSaver                          |
| 38143       | 92.0/14.0-15      | Large Checkerboard     | 15.0"       | 29.0"        | 92.0"         | 14-15"           | 14"                | 18.0"         | *RaceSaver                          |
| 38149       | 92.0/15.0-15      | Sprint LR Checkerboard | 15.0"       | 29.0"        | 92.0"         | 14-15"           | 15"                | 18.5"         | D12A                                |
| 38151       | 93.0/15.0-15      | Sprint LR Checkerboard | 15.0"       | 29.6"        | 93.0"         | 14-15"           | 15"                | 18.3"         | D12A                                |
| 38153       | 94.0/14.0-15      | Large Checkerboard     | 15.0"       | 30.0"        | 94.0"         | 14-15"           | 14"                | 18.0"         | *RaceSaver                          |
| 38155       | 94.0/15.0-15      | Sprint LR Checkerboard | 15.0"       | 30.0"        | 94.0"         | 14-15"           | 15"                | 18.3"         | D12A                                |
| 38160       | 96.0/14.0-15      | Large Checkerboard     | 15.0"       | 30.5"        | 96.0"         | 14"              | 14"                | 18.5"         | *RaceSaver                          |
| 38168       | 96.0/15.0-15      | Sprint LR Checkerboard | 15.0"       | 30.5"        | 96.0"         | 14-15"           | 15"                | 18.7"         | D12A                                |
| 38214       | 104/16.0-15       | RaceSaver              | 16.0"       | 33.1"        | 104.0"        | 16-18"           | 17"                | 19.8"         | RaceSaver                           |
| 38223       | 105/16.0-15       | Sprint RR Checkerboard | 16.0"       | 33.2"        | 105.0"        | 16-18"           | 17"                | 20.3"         | D15A, MED                           |
| 38233       | 105/18.0-15 C2055 | Sprint RR Checkerboard | 18.0"       | 33.2"        | 105.0"        | 16-18"           | 18"                | 21.5"         | RD20, D25                           |
| 38230       | 105/18.0-15       | Large Checkerboard     | 18.0"       | 33.2"        | 105.0"        | 16-18"           | 18"                | 21.5"         | HTC                                 |



# NON-WING SPRINT / SILVER CROWN SHORT TRACK DIRT

| ITEM NUMBER | TIRE SIZE         | TREAD PATTERN          | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON<br>SOFT TO FIRM |
|-------------|-------------------|------------------------|-------------|--------------|---------------|------------------|--------------------|---------------|-------------------------------------|
| 38031       | 85.0/ 8.0-15      | Super Chain Link       | 8.0"        | 27.0"        | 84.5"         | 8"               | 8"                 | 10.5"         | D12                                 |
| 38032       | 85.0/ 8.0-15      | Super Chain Link       | 8.0"        | 27.0"        | 85.0"         | 8"               | 8"                 | 10.5"         | D15, D20                            |
| 38233       | 105/18.0-15 C2055 | Large Checkerboard     | 18.0"       | 33.2"        | 105.0"        | 16-18"           | 18"                | 21.5"         | RD20, D25                           |
| 38144       | 92.0/14.0-15      | Large Checkerboard     | 15.0"       | 29.0"        | 92.0"         | 14-15"           | 14"                | 18.0"         | SC12                                |
| 38154       | 94.0/14.0-15      | Large Checkerboard     | 15.0"       | 30.0"        | 94.5"         | 14-15"           | 14"                | 18.0"         | SC12                                |
| 38161       | 96.0/14.0-15      | Large Checkerboard     | 15.0"       | 30.0"        | 96.0"         | 14-15"           | 14"                | 18.0"         | SC12                                |
| 38163       | 98.0/14.0-15      | Large Checkerboard     | 15.0"       | 31.5"        | 98.0"         | 14-15"           | 14"                | 18.0"         | SC12                                |
| 38164       | 100/13.0-15       | Checkerboard           | 15.0"       | 31.8"        | 100.0"        | 14-15"           | 14"                | 17.2"         | SC12                                |
| 38223       | 105/16.0-15       | Sprint RR Checkerboard | 16.0"       | 33.2"        | 105.0"        | 16-18"           | 17"                | 20.3"         | D15A, MED                           |



# SILVER CROWN DIRT / MILE TRACKS

| ITEM NUMBER      | TIRE SIZE         | TREAD PATTERN      | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON SOFT TO FIRM |
|------------------|-------------------|--------------------|-------------|--------------|---------------|------------------|--------------------|---------------|----------------------------------|
| <b>DIRT ONLY</b> |                   |                    |             |              |               |                  |                    |               |                                  |
| 38032            | 85.0/ 8.0-15      | Super Chain Link   | 8.0"        | 27.0"        | 84.5"         | 8"               | 8"                 | 10.5"         | D20, F75                         |
| 38207            | 103/14.0-15       | Large Checkerboard | 14.5"       | 32.1"        | 103.0"        | 14"              | 14"                | 18.5"         | D50                              |
| 38326            | 105/18.0-15 C2055 | Large Checkerboard | 18.0"       | 33.2"        | 105.0"        | 16-18"           | 21.5"              | 21.5"         | F85A, F95                        |



# MIDGET DIRT / MINI SPRINT / TQ MIDGET

| ITEM NUMBER | TIRE SIZE    | TREAD PATTERN    | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON SOFT TO FIRM |
|-------------|--------------|------------------|-------------|--------------|---------------|------------------|--------------------|---------------|----------------------------------|
| 35112       | 68.0/ 7.0-13 | Midget Front     | 7.0"        | 21.6"        | 68.0"         | 7-8"             | 7"                 | 8.5"          | D12                              |
| 35113       | 68.0/ 7.0-13 | Midget Front     | 7.0"        | 21.8"        | 68.5"         | 7-8"             | 7"                 | 8.5"          | D15                              |
| 35140       | 74.0/10.0-13 | Small Crossblock | 10.0"       | 23.7"        | 73-74"        | 8-10"            | 8"                 | 11.7"         | D12                              |
| 35155       | 76.0/10.0-13 | Small Crossblock | 10.0"       | 24.2"        | 75-76"        | 8"               | 8"                 | 12.0"         | D12                              |
| 35161       | 77.0/10.0-13 | Small Crossblock | 10.0"       | 24.5"        | 77.0"         | 8-10"            | 8"                 | 12.0"         | D12                              |
| 35165       | 78.0/10.0-13 | Small Crossblock | 10.0"       | 24.8"        | 78.0"         | 8"               | 8"                 | 12.0"         | D12                              |
| 35172       | 80.0/10.0-13 | Small Crossblock | 10.0"       | 25.5"        | 79-80"        | 8"               | 8"                 | 12.0"         | D12, D20                         |
| 35234       | 82.0/12.0-13 | Large Crossblock | 12.0"       | 26.1"        | 82.0"         | 10-12"           | 10"                | 14.1"         | SP3                              |



# MODIFIED MIDGET / MICRO SPRINT DIRT / JR. SPRINT

| ITEM NUMBER | TIRE SIZE      | TREAD PATTERN    | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON<br>SOFT TO FIRM |
|-------------|----------------|------------------|-------------|--------------|---------------|------------------|--------------------|---------------|-------------------------------------|
| 42050       | 57.0/ 6.0-10   | Micro Front      | 5.8"        | 18.0"        | 57.0"         | 5-6"             | 5"                 | 6.8"          | D12, D15                            |
| 42100       | 57.0/ 6.5-10   | Super Chain Link | 7.0"        | 18.0"        | 57.0"         | 7"               | 7"                 | 8.7"          | D12                                 |
| 42124       | 59.0/ 8.0-10   | Large Crossblock | 8.5"        | 18.5"        | 58.5"         | 8"               | 8"                 | 9.5"          | RD12                                |
| 42164       | 61.0/ 8.0-10   | Large Crossblock | 8.2"        | 19.0"        | 60.5"         | 8"               | 8"                 | 10.1"         | RD15                                |
| 42168       | 61.0/10.0-10   | Large Crossblock | 10.2"       | 19.0"        | 60.5"         | 10"              | 10"                | 11.8"         | RD15, RD20                          |
| 42170       | 62.0/ 8.0-10   | Large Crossblock | 8.2"        | 19.7"        | 62.0"         | 8"               | 8"                 | 10.1"         | RD15                                |
| 42172       | 62.0/10.0-10   | Large Crossblock | 10.0"       | 19.7"        | 62.0"         | 10"              | 10"                | 11.9"         | RD15                                |
| 42173       | 63.0/ 8.0-10   | Large Crossblock | 8.2"        | 19.0"        | 63.0"         | 8"               | 8"                 | 10.1"         | RD15                                |
| 42183       | 63.0/10.0-10   | Large Crossblock | 10.0"       | 20.0"        | 63.0"         | 10"              | 10"                | 12.0"         | RD15, RD20                          |
| 42185       | 64.0/ 8.0-10   | Large Crossblock | 8.2"        | 20.2"        | 64.0"         | 8"               | 8"                 | 10.6"         | RD15                                |
| 42195       | 64.0/10.0-10   | Large Crossblock | 10.0"       | 20.2"        | 64.0"         | 10"              | 10"                | 12.5"         | RD15                                |
| 42225       | 65.0/10.0-10   | Crossblock       | 10.0"       | 20.5"        | 65.0"         | 10"              | 10"                | 11.5"         | RD15, RD20                          |
| 42237       | 69.0/10.0-10   | Crossblock       | 11.0"       | 22.0"        | 69.0"         | 10-12"           | 10"                | 12.5"         | RD20, D25                           |
| 42239       | 69.0/10.0 W-10 | Crossblock       | 12.5"       | 22.0"        | 69-70"        | 10-12"           | 11"                | 14.7"         | RD20, ASCS2                         |
| 42400       | 15.0/ 6.0-8    | Treaded CAB      | 6.0"        | 15.0"        | 49.0"         | 6"               | 6"                 | 7.4"          | RD20                                |
| 42450       | 15.0/ 7.0-8    | Small Crossblock | 7.0"        | 15.0"        | 49.0"         | 6"               | 6"                 | 7.5"          | RD20                                |
| 42500       | 15.0/ 8.0-8    | Small Crossblock | 8.0"        | 15.0"        | 49.5"         | 7"               | 7"                 | 8.5"          | RD20                                |
| 42550       | 16.0/ 8.5-8    | Small Crossblock | 8.5"        | 16.0"        | 53.5"         | 9"               | 9"                 | 10.5"         | RD20                                |

SOFT ← ← ← COMPOUND → → → FIRM

D12 RD15 | D15 RD20 | D25 | ASCS2



# DIRT OVAL KARTING

| ITEM NUMBER   | TIRE SIZE    | TREAD PATTERN    | TREAD WIDTH | APPROX. DIA. | APPROX. CIRC. | RECOM. RIM WIDTH | MEASURED RIM WIDTH | SECTION WIDTH | COMPOUND COMPARISON<br>SOFT TO FIRM |
|---|--------------|------------------|-------------|--------------|---------------|------------------|--------------------|---------------|-------------------------------------|
| <b>DIRT OVAL KART TIRES - Soft, Wet, Tacky Track</b>                      |              |                  |             |              |               |                  |                    |               |                                     |
| 11325   | 10.5 x 5.0-6 | Slick            | 4.75"       | 10.5"        | 32.75"        | 6.5"             | 6.5"               | 6.63"         | D20A, D30A                          |
| 11600   | 11.0 x 6.0-6 | Slick            | 6.0"        | 11.0"        | 33.0"         | 8.25-8.5"        | 8.5"               | 8.5"          | D20A, D30A                          |
| 11800   | 11.0 x 8.0-6 | Slick Right Side | 7.5"        | 11.0"        | 34.0"         | 10.0"            | 10.0"              | 10.13"        | D20A, D30A                          |
| <b>DIRT OVAL KART TIRES - Intermediate/Transitioning Track Conditions</b> |              |                  |             |              |               |                  |                    |               |                                     |
| 15500   | 10.5 x 5.0-6 | Slick            | 4.75"       | 10.5"        | 32.75"        | 6.5"             | 6.5"               | 6.625"        | A40                                 |
| 15600   | 11.0 x 6.0-6 | Slick            | 6.0"        | 11.0"        | 33.0"         | 8.25-8.5"        | 8.5"               | 8.5"          | A40                                 |
| 15800   | 11.0 x 8.0-6 | Slick Right Side | 7.5"        | 11.0"        | 34.0"         | 10.0"            | 10.0"              | 10.125"       | A40                                 |
| <b>DIRT OVAL KART TIRES - Hard Track Conditions</b>                       |              |                  |             |              |               |                  |                    |               |                                     |
| 15456   | 10.5 x 4.5-6 | Slick            | 4.75"       | 10.5"        | 32.5"         | 6.5"             | 6.5"               | 6.6"          | FK                                  |
| 15600   | 11.0 x 6.0-6 | Slick            | 6.0"        | 11.0"        | 33.0"         | 8.25-8.5"        | 8.5"               | 8.5"          | A40, FK                             |

SOFT ← ← ← COMPOUND → → → FIRM

D20A | D30A | A40 | FK/FKSE

